

PLUGIN USER MANUAL



THE CLASSIEST EQ EVER CREATED FINALLY GETS THE THOROUGH PLUGIN TREATMENT IT SO LONG DESERVED

Recreated from the original Motown units owned by eight-time Grammy winning producer, mixdown artist, and innovative engineering genius Michael Brauer. The launch of the MOTORCITY EQualizer that shook the pro audio world as one of the biggest secrets in music production was finally revealed by releasing a dead on, carbon copy of one of the most influential EQs ever.

3 years later Heritage Audio is proud to introduce the MOTORCITY EQualizer Plugin, the world's first true-reproduction of the "Holy Grail" of classic equalisers. Finally you'll be able to recreate the unmistakably huge, punchy and warm signature sound that makes this EQ as unique as the hits it helped create.

IT'S NOT JUST AN EQ, IT'S A STATEMENT.

What makes this plugin so special is its ability to infuse any mix with the unmistakable warmth, punch, and musicality that defined countless classic records, all while fitting seamlessly into a modern DAW workflow.

But perhaps its most defining characteristic, though, is its ability to impart cohesion — that subtle analog warmth that gives mixes depth, dimension, and soul.

Whether used on individual tracks, buses, or the stereo master, the MOTORCITY EQualizer plugin brings the timeless Motown vibe into today's productions, delivering not just precision, but personality.

CONTROLS

Add for warmth, deeper sound and more thump.

Too much makes things boomy, too little makes things too thin.

130 Hz - Boost/Cut Curves Helps to make things stand out in the mix.

Too much can produce honk and cause ear fatigue, so use carefully.

800 Hz - Boost/Cut Curves Used to add clarity to signals and give them an edge.

Too much will make things harsh and irritating while reducing will distance the sound.

5 kHz - Boost/Cut Curves IN/OUT/OFF

LEVER SWITCH



50 Hz - Boost/Cut Curves

Usually felt more than heard - Adds weight & a solid foundation and hits in the chest.

> Can increase Low-end rumble(noise).

320 Hz - Boost/Cut Curves

Used to add bass presence, definition and fullness.

Too much makes things muffled and muddy, too little makes things hollow.

2 kHz - Boost/Cut Curves

Used to add presence and definition of attacks of drums & percussion and add crunch & whack.

Too much will cause ear fatigue, so use carefully.

12.5 kHz - Boost/Cut Curves

Used to make things sparkle and to add air.

Too much will accentuate hiss and cause ear fatigue.

GAIN

±8 dB of output GAIN.

COMPATIBILITY

Plugin formats: VST3, AU, AAX (64-bit).
Platforms supported: Mac OS 10.15.7 and up (Both INTEL and Native Apple Silicon M1/M2/M3 Compatibility). PC Windows 10 and 11.
DAWs supported: All major DAWs, including Ableton Live, Pro Tools, Logic Pro, FL Studio, Cubase, Studio One, Bitwig, Reaper, Reason etc.

INSTALLATION

A software download is made available in your Downloads section of your profile in https://users.heritageaudio.com right after your purchase. Select either Mac or PC depending on your system.

MAC: Double click on the PKG installer and follow the instructions. PC/WINDOWS: Double click on the setup .exe file and follow the instructions.

ACTIVATION AND TRIAL PERIOD

If you have purchased your Heritage Audio MOTORCITY EQualizer Plugin through https://users.heritageaudio.com, an iLok licence will have been deposited into your iLok account as soon as you have finished your purchase. Your copy of the Heritage Audio HA-81A EQ Plugin will be automatically activated upon opening the plugin for the first time while logged into your iLok account.

If you have purchased your Heritage Audio MOTORCITY EQualizer Plugin through a third party vendor, an activation code will have been emailed to you once the purchase is completed. Enter the activation code provided when iLok asks for it the first time you open it.

If you have any problems activating it, please email us at users@heritageaudio.com.

If you're running your Heritage Audio MOTORCITY EQualizer Plugin in trial mode, please note that the trial will be fully functional for 14 days after its first validation.

For further information regarding the functioning of the Heritage Audio MOTORCITY EQualizer Plugin, please refer to the hardware version user manual at:

nttps://heritageaudio.com/wp-content/uploads/2022/09/MOTORCITY-EQ_User-Manual.pdf







